



FUSION™

— with BruxZir

PREPARATION GUIDELINES



- A. 2.0 mm incisal reduction (1.75 mm minimum),
1 mm facial reduction (0.8 mm minimum)
- B. Chamfer or shoulder margins required
- C. Rounded external walls, and axial walls must
be convergent (avoid undercuts)
- D. 3 planes of reduction required on facial
surfaces
- E. To achieve optimal impression quality,
gingival retraction is necessary for
preparations with subgingival or equigingival
margins